

	Application No.	Applicant(s)
Notice of Allowability	09/915,612	COFFEY, AEDAN DIARMUID CAILEAN
	Examiner	Art Unit
	Richard Chang	2616
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to 7/20/2006.		
2. The allowed claim(s) is/are 15,20 and 21, renumbered as 1-3.		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 		
3. ☑ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5 Notice of Informal P	atent Application (PTO-152)
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	e
Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Stateme	ent of Reasons for Allowance
of Biological Material	9.	The second secon

Application/Control Number: 09/915,612

Art Unit: 2616

DETAILED ACTION

Page 2

Response to Amendment

1. Applicants' amendments and arguments, see amendment, filed on 7/16/2006, with respect to Claims 15 and 20-21 have been fully considered and are persuasive.

The 35U.S.C.103 rejections have been withdrawn. None of the previously cited reference teaches the Claims 15 and 20-21.

Claims 1-14 and 16-19 had been canceled.

Examiner's Amendment

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment had been given in a telephone interview with Carl Oppedahl on 7/20/2006. The application has been amended for claims 15 and 20-21 as follows:

In claim 15, the clause "the switches of matrix...", after the last comma sign, is changed to ""and the switches of matrix...".

In claims 20-21, the clause "<u>whereby</u> ...", after the last comma sign, are changed to ""<u>and</u>".

Application/Control Number: 09/915,612 Page 3

Art Unit: 2616

Allowable Subject Matter

3. Claims 15 and 20-21 are allowed.

Examiner's Statement of Reasons for Allowance

4. The following is an examiner's statement of reasons for allowance:

The prior art along or in combination fails to teach or make obvious the following limitations:

"a first fibre channel device having a fibre channel input and a fibre channel output, the fibre channel output of the device connected with a first one of the N fibre channel inputs of the matrix of switches, the fibre channel input of the device connected with a first one of the M fibre channel outputs of the matrix of switches, a second fibre channel device having a fibre channel input and a fibre channel output, the fibre channel output of the device connected with a second one of the N fibre channel inputs of the matrix of switches, the fibre channel input of the device connected with a second one of the M fibre channel outputs of the matrix of switches, A fibre channel analyzer haying a fibre channel input, the fibre channel input of the analyzer connected with a third one of the M fibre channel outputs of the matrix of switches, the switches of the matrix disposed such that the first one of the N fibre channel inputs is connected to the second one of the M fibre channel outputs and is also connected with the third one of the M fibre channel outputs." as recited in the *independent claims 15 and 20*.

Application/Control Number: 09/915,612

Art Unit: 2616

Any comments considered necessary by applicant must be submitted no later than the

payment of the issue fee and, to avoid processing delays, should preferably accompany

the issue fee. Such submissions should be clearly labeled "Comments on Statement of

Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Richard Chang whose telephone number is (571) 272-

3129. The examiner can normally be reached on Monday - Friday from 8 AM to 5 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Ricky Ngo can be reached on (571) 272-3139. The fax phone number for

the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the

Patent Application Information Retrieval (PAIR) system. Status information for

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

RYU

rkc

Richard Chang Patent Examiner Art Unit 2616

SUPERVISORY PATENT EXAMINER

Page 4